



TELEPHONE MAN OF AMERICA
 1-866-770-4930
 TELEPHONEMAN@TELEPHONEMANOFAMERICA.COM
 Earning Your Business Every Step of the Way!
 Specializing in Telecom Equipment of all Brands, Carrier Services,
 Technician Services, Maintenance Agreements & Purchasing Excess
 Telecom Equipment!

I will always do my best to match or beat any competitors bid!

TELEPHONE MAN OF AMERICA

Earning Your Business Every Step of the Way!

Specializing in Telecom Equipment of all Brands, Carrier Services, Technician Services, Maintenance Agreements & Purchasing Excess Telecom Equipment!

I will always do my best to match or beat any competitors bid!

| Local: 863-614-1900 | Toll Free: 866-770-4930 | Fax: 888-782-3072 |

Email: telephoneman@telephonemanofamerica.com |

URL: www.TelephonemanOfAmerica.com | URL: www.AvayaPartnerAcs.com | URL:

www.AvavayMerlinLegend.com | URL: www.AvavayMerlinMagix.com | URL: www.EnGeniusCordlessPhones.com |

URL: www.SkypeMyPBX.com |

URL: www.shop.telephonemanofamerica.com |

AVAYA Merlin Magix

Up To 220 Phones!

Large Merlin System Features

Feature (note1)	L1	L1.1	L2	L2.1	L3.0	L3.1	L4	L4.1	L4.2	L5	L6	L6.1	L7	M1	M1.5	M2	M2.1	M2.2	M3	M4	
Abbreviated Ring	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	
Account Code Entry	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	
Account Code Entry - Forced	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	
Account Code Verification																			X	X	
Alarm	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	
Alarm Clock	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	
Allowed/Disallowed Lists	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	
Analog Data Call Support	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	
Authorization Codes																					
Auto Answer All (note 2)	X	X	X	X	X	X	X	X	X	X	X	X	X								
Auto Answer Intercom	X	X	X	X	X	X	X	X	X	X	X	X	X								
Auto Dial	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	
Automatic Configuration of MERLIN Messaging															X	X	X	X	X	X	
Automatic Daylight Savings Time															X	X	X	X	X	X	
Automatic Line Select/Ringing Line Pref	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	
Automatic Maintenance Busy	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	
Automatic Number ID (ANI - Number Only with PRI)	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	
Automatic Route Selection	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	
Barge-In	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	
Basic Rate Interface (NI-1 BRI)							X	X	X	X	X	X	X	X	X	X	X	X	X	X	
Basic Rate Interface (2B Data Support with BRI, PRI, T1)							X	X	X	X	X	X	X	X	X	X	X	X	X	X	
Call Screening																			X	X	
Call Waiting	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X
Callback	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X
Caller ID							X	X	X	X	X	X	X	X	X	X	X	X	X	X	

Large Merlin System Features

Feature (note1)	L1	L1.1	L2	L2.1	L3.0	L3.1	L4	L4.1	L4.2	L5	L6	L6.1	L7	M1	M1.5	M2	M2.1	M2.2	M3	M4	
Caller ID Name and Number (Loop Start Lines Only)													X	X	X	X	X	X	X	X	X
Caller ID Name and Number (Simultaneously with Loop Start Lines Only)																				X	X
Call Restrictions	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X
Camp On	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X
Centralized Voice Messaging																					
Centrex Operation/Behind Switch Mode -Operation	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X
Centrex Transfer via Auto Attendant											X	X	X	X	X	X	X	X	X	X	X
Conference	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X
Copy Options for Lines/Trunks																X	X	X	X	X	X
Coverage	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X
CTI - GAPI and/or TAPI				X	X	X	X	X	X	X	X	X									
CTI (Computer Telephony Integration) Link TSAPI										X	X	X	X	X	X	X	X	X	X	X	X
Digital Data Call Support	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X
Direct Line Console (DLC)	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X
Direct Station Selector	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X
Direct Voice Mail																					
Directories	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X
Display	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X
Do Not Disturb	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X
Drop	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X
Extension Status	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X
Fax Extension																					
Feature Button	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X
Forced Account Code Entry	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X
Forward and Follow Me	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X

Large Merlin System Features

Feature (note1)	L1	L1.1	L2	L2.1	L3.0	L3.1	L4	L4.1	L4.2	L5	L6	L6.1	L7	M1	M1.5	M2	M2.1	M2.2	M3	M4
Group Calling	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X
Group Calling - Agent ID																				
Group Calling - Agent in Multiple Calling Groups																	X	X	X	X
Group Calling - Delayed Announcement with Merlin Messaging (requires Merlin Msg R2.5 or later)																X	X			X
Group Calling - Multiple Delayed Announcements										X	X	X	X	X	X	X	X	X	X	X
Group Calling - Queue Control											X	X	X	X	X	X	X	X	X	X
Group Calling - Priority Queueing													X	X	X	X	X	X	X	X
Group Calling - Prompt Based Overflow											X	X	X	X	X	X	X	X	X	X
Group Calling - Group (All) Ring																			X	X
Group Calling - MOH																			X	X
Hands-Free Answer on Intercom (HFAI)	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X
Headset Options	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X
Hold	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X
Hot Dialpad																				
HotLine											X	X	X	X	X	X	X	X	X	X
Idle Line Preference	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X
Inside Dial Tone	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X
Inspect	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X
Labeling	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X
Language Choice/Selection		X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X
Last Number Dial (Redial)	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X
Line Request	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X
Messaging	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X

Large Merlin System Features

Feature (note1)	L1	L1.1	L2	L2.1	L3.0	L3.1	L4	L4.1	L4.2	L5	L6	L6.1	L7	M1	M1.5	M2	M2.1	M2.2	M3	M4
Messaging - View Old/New Messages with Merlin Messaging R2.5>																X	X	X	X	X
Message Header with Merlin Messaging R2.5>																X	X	X	X	X
Microphone Disable	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X
Multi-Function Module	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X
Music-On-Hold	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X
Night Service	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X
Notify (Send/Receive)	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X
Paging	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X
Paging - Simultaneous Loudspeaker and Group Page																		X	X	X
Park	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X
PCMCIA Memory Card Interface					X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X
Personal Lines	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X
Personalized Ringing	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X
Pickup	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X
Pools	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X
Power-Failure Transfer	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X
Primary Rate Interface (PRI) and T1	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X
Privacy	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X
Programming	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X
Queued Call Console (QCC)	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X
Recall/ Timed Flash	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X
Record-A-Call (Requires Merlin Messaging R4.0 or later)																				X
Redial (Last Number Dialed)	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X
Reminder Service	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X

Large Merlin System Features

Feature (note1)	L1	L1.1	L2	L2.1	L3.0	L3.1	L4	L4.1	L4.2	L5	L6	L6.1	L7	M1	M1.5	M2	M2.1	M2.2	M3	M4
Remote Access	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X
Remote Call Forwarding	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X
Remote Call Forwarding with Simultaneous Internal Alert																		X	X	X
Ringing Frequency																X	X	X	X	X
Ringing Line Preference/Idle Line Preference	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X
Ringing Options	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X
Saved Number Dialed	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X
Service Observing																				
Signaling	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X
Signal/Notify	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X
Speed Dial	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X
Station Messaging Detail Recording (SMDR)	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X
System Access/Intercom Buttons	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X
System Renumbering	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X
T1/PRI Support	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X
Tandem Switching																				
Timed Flash	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X
Timer	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X
Toll Type	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X
Touch-Tone or Rotary Signaling	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X
Transfer	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X
Trunk to Trunk Transfer	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X
Uniform Dial Plan Features																				
Video Support (Group)			X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X
Video Support (Personal)							X	X	X	X	X	X	X	X	X	X	X	X	X	X
Voice Announce	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X

Large Merlin System Features

Feature (note1)	L1	L1.1	L2	L2.1	L3.0	L3.1	L4	L4.1	L4.2	L5	L6	L6.1	L7	M1	M1.5	M2	M2.1	M2.2	M3	M4
Voice Announce to Busy (ATL Telephones)	X	X	X	X	X	X	X	X	X	X	X	X	X							
Voice Announce to Busy (MLX Telephones)	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X
Voice Announce on Idle Only (MLX Telephones)													X	X	X	X	X	X	X	X
Volume	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X
Wireless 3810 Support																				
Miscellaneous:																				
ATL Sets (note 2)	X	X	X	X	X	X	X	X	X	X	X	X	X							
MLX Sets	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X
408 GS/LS-MLX Module (not compatible with L1 and L1.1, these releases require the 008 MLX Module)			X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X
408 GS/LS-ID MLX Module (with Caller ID)													X	X	X	X	X	X	X	X
MLX via 016 MLX Module													X	X	X	X	X	X	X	X
Partner MLS/ETR Sets via 016 ETR Module													X	X	X	X	X	X	X	X
TDL Sets														X	X	X	X	X	X	X
TransTalk 9000-9031	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X
TransTalk 9040 via ATL Module (note 2)	X	X	X	X	X	X	X	X	X	X	X	X	X							
TransTalk 9040 via ETR Module													X	X	X	X	X	X	X	X
TransTalk 9040 via TDL														X	X	X	X	X	X	X
3810 Wireless via ETR Module														X	X	X	X	X	X	X
Merlin Mail R3.05	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X
Merlin Legend Mail (note 3)	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X

Large Merlin System Features

Feature (note1)	L1	L1.1	L2	L2.1	L3.0	L3.1	L4	L4.1	L4.2	L5	L6	L6.1	L7	M1	M1.5	M2	M2.1	M2.2	M3	M4
Merlin Messaging (note 4)													X	X	X	X	X	X	X	X
INTUITY Audix				X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X
Other Misc:																				
Increase from 127 to 200 Analog Single Line Telephones							X	X	X	X	X	X	X	X	X	X	X	X	X	X
Increase from 127 to 200 Digital Telephones													X	X	X	X	X	X	X	X
016 Single Line Set Module Support							X	X	X	X	X	X	X	X	X	X	X	X	X	X
016 MLX/016 ETR Support													X	X	X	X	X	X	X	X
Hybrid/PBX Mode	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X
Key Mode	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X
Behind Switch Mode	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X
100 DCD Module (requiring External CSU/DSU i.e. 3160)	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X
100 DCD Module (use of internal CSU/DSU)															X	X	X	X	X	X
100R Integrated Network Access Module (INA)														X	X	X	X	X	X	X
Notes:																				
1) L1 - L7 = MERLIN LEGEND® Communications System Release 1-7. M1 - M4 = MERLIN MAGIX® Integrated System Release 1 - 4																				
2) Merlin Legend Rel. 7 (L7) ATL sets supported on 408 ATL Modules 517C1 or later, 008 ATL Modules 517B3 or later and 408 GS/LS-ATL Modules 517B26 or later modules only																				
3) Requires a 391A3 or later Power Module in a MERLIN LEGEND® Communications System																				
4) Requires a 391C1 or later Power Module in a MERLIN LEGEND® Communications System Rel. 7 and all Releases of the MERLIN MAGIX® Integrated System																				